

No 106

Township 3 South


Range 38 East N M

Union County, Oregon.

J. A. McWorter

April the 14 1890

I Commenced at the corner
To Sec 5=6=7 & 8
Thence East on an Offset of
100 lks South to a Street



18 00 Set Back 100 lks North to line 5
39 52 Set Temporary 1/4 Sec corner
59 28 Set Temporary 1/8 corner
79 05 Set Temporary Corner to Sec 4=5=8 & 9

Thence East bet Sec 4 & 9
19 95 Set Temporary 1/8 corner
39 90 Set Temporary 1/4 Sec corner
79 80 found no Sec corner
Thence East bet Sec 3 & 10

79 36 found no Sec corner
81 11 The corner to Sec 2=3=10 & 11
making an Excess of 181 lks over U.S. Field Notes
Thence West bet Sec 3 & 10

79 79 The corner to Sec 3=4=9 & 10
Thence West bet Sec 4 & 9
40 12 Set Stone 6+9+20 for 1/4 Sec corner bet Sec 4 & 9
00 17 Set Stone 7+8+18 for 1/8 corner
30 24 Set Stone 5+13+21 for Corner to Sec 4=5=8 & 9
Thence West bet Sec 5 & 8

19 81 Set Stone 4+7+13 for 1/8 corner
from which
The SW Corner Block 30 Williams's Addition is N 10° E 49 feet dist.

39 63 Set Stone 7+12+17 for 1/4 Sec corner bet Sec 5 & 8
from which
The S.W. Corner Block 26 Williams's Addition is N 57° E 83 feet dist.
79 27 The corner to Sec 5=6=7 & 8

The corner to Sec 4=5=8 & 9
Thence North bet Sec 4 & 5
over 20 1/2

26 00 Rail Road N 58° 35' E S 58° 35' W
40 00 Set Temporary 1/4 Sec corner
79 60 Intersect North Boundary

CHAINS.
LKS.

The 1/4 Sec corner bet Sec 4 & 9
Thence North through Sec 4 var 20° E

- 20 00 Set Temporary 1/6 corner
- 40 00 Set Temporary center Sec 4
- 54 00 Slough 305 lks across course N E and N W
- 60 00 Set Temporary 1/6 corner
- 60 40 Slough 156 lks across course East
- 79 60 Set Temporary 1/4 sec cor bet Sec 4 & 38

The 1/4 Sec corner bet Sec 4 & 5
Thence East through Sec 4
var 20° E

- 20 00 Set Temporary 1/6 corner
- 39 26 Intersect True N & S line 30 lks North of 1st State at center
- 60 00 Set Temporary 1/6 corner
- 79 56 Intersect 27 lks North of 1/4 Sec corner bet Sec 3 & 4
Thence N 89° 48' W on True line through Sec 4
- 19 85 Set Post for 1/6 corner in center E 1/2 Sec 4
- 39 70 The center Sec 4
- 59 63 Set Post for 1/6 corner in center W 1/2 Sec 4
- 79 56 The 1/4 Sec corner bet Sec 4 & 5.

The 1/4 Sec corner bet Sec 3 & 4
Thence South bet Sec 3 & 4
var 20° E

- 20 00 Set Temporary 1/8 corner
- 29 50 Slough S E
- 38 50 Slough East
- 40 18 Intersect 40 lks west of corner to Sec 3 = 4 = 9 & 10
Thence N 34 1/2° W on True line
- 20 09 Set Post for 1/8 corner
Thence west through S E 1/4
- 39 82 The center S 1/2 Sec 4
Thence west through S E 1/4
- 19 91 Set Post for 1/6 corner in center S E 1/4 Sec 4

The 1/4 Sec corner bet Sec 3 & 4
Thence North bet Sec 3 & 4

- 2 75 Slough course East
- 80 00 Slough course S E
- 14 12 Grade bound river 158 lks across runs S E

Township 3 South

Range 38 East

Union County, Oregon.

CHAINS. LRS.

20 00 Set Temporary $\frac{1}{8}$ corner
79 80 Intersect 37 lks west of corner to Sec 3-4=33634

The $\frac{1}{16}$ corner in center N $\frac{1}{2}$ Sec 4
thence East through N E $\frac{1}{4}$ Sec 4
bear 20° 10' E

1 80 Blough 89 lks across course South
12 70 Blough course South 79 lks across
15 90 Rail Road N E $\frac{1}{4}$, S W
20 00 Set Temporary $\frac{1}{16}$ corner
21 20 Blough course South
27 00 Blough course South
34 17 Grande Round River 190 lks across course S E
39 84 Intersect - 2 $\frac{1}{2}$ lks north of 1st State
thence west through N E $\frac{1}{4}$ Sec 4
19 82 Set Post for $\frac{1}{16}$ corner in center N E $\frac{1}{4}$ Sec 4
39 84 The center N $\frac{1}{2}$ Sec 4

A 3 acre Lot for W. S. Wines from J. A. McWaters
out of the N W corner S E $\frac{1}{4}$ N W $\frac{1}{4}$ Sec 4
described as follows to wit:
Commencing 25 feet East of the center of N, W, $\frac{1}{4}$ Sec 4
thence East 17 rods
" South 28° $\frac{23}{100}$ "
" West 17 "
" North 28° $\frac{23}{100}$ " To Place of Beginning

J. W. Kimbrell County Surveyor